


# RigiSystems Ziplok System Selector



# RigiSystems Ziplok STRUCTURAL DECK NON ACOUSTIC SYSTEMS




## THERMOHALTER SYSTEM

Components	U-Values (W/m²K)	
	0.25	0.20
Structural deck	To suit spans. Consult RigiSystems Technical Department	
Vapour control layer	VBAR/01/02050	VBAR/01/02050
Top hat section		ZSEC/OG/CHANS/30**
T'halter support section	ZSEC/OG/TDS*	
Thermohalter	HALT/TH/225	HALT/TH/225
Compressed insulation	HPLD/37/0140	HPLD/37/0190

\*For 200mm deck use product code TDL

\*\*For 200mm deck use product code CHANL




## BAR & BRACKET SYSTEM

Components	U-Values (W/m²K)		
	0.25	0.20	0.16
Structural deck	To suit spans. Consult RigiSystems Technical Department		
Vapour control layer	VBAR/01/02050	VBAR/01/02050	VBAR/01/02050
Support section	ZSEC/OG/CHANS/30*	ZSEC/OG/CHANS/30*	ZSEC/OG/CHANS/30*
Corogrid bracket	CORO/OG/BK120	CORO/OG/BK140	CORO/OG/BK060
Halter	HALT/AL/00085	HALT/AL/00085	
Thermohalter**			HALT/TH/225
Compressed insulation	HPLD/40/0176	HPLD/40/0196	HPLD/37/0250

\*For 200mm deck use product code CHANL


\*\*Thermohalter required for 0.16 system

# RigiSystems Ziplok STANDARD LINER NON ACOUSTIC



## THERMOHALTER SYSTEM


Components	U-Values (W/m²K)	
	0.25	0.20
Liner sheet	20/100/1000	20/100/1000
Support saddle (small)		ZSEC/OG/SSTS
Insulation	HPLD/37/0140	HPLD/37/0180
Thermohalter	HALT/TH/225	HALT/TH/225



## BAR & BRACKET SYSTEM

Components	U-Values (W/m²K)		
	0.25	0.20	0.16
Liner sheet	20/100/1000	20/100/1000	20/100/1000
Corogrid bracket	CORO/OG/BK160	CORO/OG/BK140	CORO/OG/BK100
Halter	HALT/AL/00085	HALT/AL/00135	
Thermohalter*			HALT/TH/225
Insulation	HPLD/40/0166	HPLD/40/0196	HPLD/37/0240


\* Thermohalter required for 0.16 system



### THERMOHALTER SYSTEM

Components	U-Values (W/m²K)	
	0.20	
Web perforated structural deck	To suit spans. Consult RigiSystems Technical Department	
Thermoalter support section	ZSEC/OG/CHANS/30*	
Acoustic insulation	HPVH/65/0030	
Vapour control layer	VBAR/01/02050	
Thermoalter	HALT/TH/225	
Compressed insulation	HPLD/37/0140	


\*For 200mm deck use product code CHANL



### BAR & BRACKET SYSTEM


Components	U-Values (W/m²K)	
	0.20	0.16
Web perforated structural deck	To suit spans. Consult RigiSystems Technical Department	
Support section	ZSEC/OG/CHANS/30*	ZSEC/OG/CHANS/30*
Acoustic insulation	HPVH/65/0030	HPVH/65/0030
Vapour control layer	VBAR/01/02050	VBAR/01/02050
Corogrid bracket	CORO/OG/BK140	CORO/OG/BK060
Compressed insulation	HPLD/40/0166	HPLD/37/0240
Halter	HALT/AL/00085	
Thermoalter**		HALT/TH/225

\*For 200mm deck use product code CHANL \*\*Thermoalter required for 0.16 system



### THERMOHALTER SYSTEM


Components	U-Values (W/m²K)	
	0.20	
Perforated liner sheet	20/100/1000	
Galvanised support bracket	ZSEC/OG/SPTS	
Continuous support section	ZSEC/OG/CT30	
Acoustic insulation	HPVH/65/0030	
Vapour control layer	VBAR/01/02050	
Thermoalter	HALT/TH/225	
Compressed insulation	HPLD/37/0140	



### BAR & BRACKET SYSTEM

Components	U-Values (W/m²K)	
	0.20	0.16
Perforated liner sheet	20/100/1000	20/100/1000
Galvanised support bracket	ZSEC/OG/SPTS	ZSEC/OG/SPTS
Continuous support section	ZSEC/OG/CT30	ZSEC/OG/CT30
Acoustic insulation	HPVH/65/0030	HPVH/65/0030
Vapour control layer	VBAR/01/02050	VBAR/01/02050
Corogrid bracket	CORO/OG/BK140	CORO/OG/BK60
Halter	HALT/AL/00085	
Thermoalter*		HALT/TH/225
Compressed insulation	HPLD/40/0166	HPLD/37/0220


\* Thermoalter required for 0.16 system



### BAR & BRACKET SYSTEM

Components	U-Values (W/m²K)		
	0.25	0.20	0.16
Web perforated structural deck	To suit spans. Consult RigiSystems Technical Department		
Continuous support section	ZSEC/OG/CT30	ZSEC/OG/CT30	ZSEC/OG/CT30
Acoustic insulation	HPVH/65/0030	HPVH/65/0030	HPVH/65/0030
Intermediate liner	0.7 gauge 20/100/1000	0.7 gauge 20/100/1000	0.7 gauge 20/100/1000
Corogrid bracket	CORO/OG/BK140	CORO/OG/BK160	CORO/OG/BK80
Compressed insulation	HPLD/40/0146	HPLD/40/0166	HPLD/37/0220
Halter	HALT/AL/00085	HALT/AL/00085	
Thermohalter*			HALT/TH/225

\* Thermohalter required for 0.16 system



Components	U-Values (W/m²K)		
	0.25	0.20	0.16
Web perforated liner sheet	20/100/1000	20/100/1000	20/100/1000
Galv Support Bracket	ZSEC/OG/SPTS	ZSEC/OG/SPTS	ZSEC/OG/SPTS
Continuous support section	ZSEC/OG/CT30	ZSEC/OG/CT30	ZSEC/OG/CT30
Acoustic insulation	HPVH/65/0030	HPVH/65/0030	HPVH/65/0030
Intermediate liner	0.7 gauge 20/100/1000	0.7 gauge 20/100/1000	0.7 gauge 20/100/1000
Corogrid bracket	CORO/OG/BK140	CORO/OG/BK160	CORO/OG/BK80
Compressed insulation	HPLD/40/0146	HPLD/40/0166	HPLD/37/0240
Halter	HALT/AL/00085	HALT/AL/00085	
Thermohalter*			HALT/TH/225